



Project Office: No: 192, Nawala Road, Narahenpita,
Colombo -05. Tel : 0112 807500Hotline: +94 777 789276 E-
mail: serialinvestmentlanka@gmail.com



Your choice | your style | your smart

Dear customer and business partners
loyal LEEGRATE Friends

you will be pleased to see these trends mirrored in a
significant selection of lighting throughout
our catalogue. our range has once again attractively
grown to offer more.
endorse yourself in the LEEGRATE world of lighting
and be inspired by our style .



JB-GN103Z21

产品说明 Product description


材质工艺:

- 灯具设计风格简约时尚、精致典雅、浪漫古典、与城市美化完美结合。
- 灯体采用 6063 铝合金型材制造，灯杆韧度高，材料回收率高。
- 灯具光源部分采用高品质 LED 芯片及电源，灯体侧面发光部分则采用 LED 灯带结合：红光、蓝光、绿光、黄光、白光及 RGB 七彩变色。
- 灯体外部采用纳米多功能涂层、防粘贴、防涂鸦、防刮痕。
- 灯具应用场所：公园、商业区、高档别墅庭院、停车场、广场、道路行人道等。

Material and Technology:

- The product design creating is concise and fashion/ideas and elegant/classics and romantic/perfect combination and city beautification.
- The lamp body using for 6063 aluminum material,the lamp pole is high tenacity and metal material will be high reclaim.
- The light source with high quality LED chips and power supply,the lamp pole two side with LED strip for color red/blue/green/yellow/white and RGB full color change.
- The lamp pole with Nano multi-farctional coating/prevent paste/prevent scrawl/prevent scratching.
- The lamp application places:public garden/business area/luxury villa garden/ park/plaza/pavements of road ,etc.

配光曲线 Light Distribution Curve



JB-GN103Z11



技术参数 Technology information

产品型号 Product Code	JB-GN103Z21		JB-GN103Z11	
灯体尺寸 Lamp size				
	Φ114mm×Φ76mm	Φ140mm×Φ88mm	Φ114mm×Φ76mm	Φ140mm×Φ88mm
产品高度 Product height	3M-3.5M	3.5M-4M	3M-3.5M	3.5M-4M
功率 Power	30W		36W	
灯体材质 Lamp material	6063 Aluminum material			
色温 Color temp	3000K / 6000K			
灯带颜色 Strip color temp	Blue / Green / Red / Pink / Warm white			
芯片 LED chips	PHILIPS / CREE / BRIGDELUX			
驱动 Power supply	PHILIPS driver / MW driver from taiwan / MOSO®			
透镜角度 Lens angle	120°/70°			
效率 Efficiency	87%			
输入电压 Input voltage	AC85-265V			
防护等级 Protection levels	IP65			



LED Garden Light

LED 庭院灯


产品说明 Product description

- 材质工艺:
- 灯具设计风格简约时尚、精致典雅、浪漫古典、与城市美化完美结合。
 - 灯体采用 6063 铝合金型材制造,灯杆坚韧度高,材料回收率高。
 - 灯具光源部分采用高品质 LED 芯片及电源,灯体侧面发光部分则配用 LED 灯带结合:红光、蓝光、绿光、黄光、白光及 RGB 七彩变色。
 - 灯体外部采用纳米多功能涂层、防粘附、防涂鸦、防刮痕。
 - 灯具应用场所:公园、商业区、高档别墅庭院、停车场、广场、道路行人道等。

Material and Technology:

- The product design creating is concise and fashion/delicate and elegant/classics and romantic/perfect combination and city beautification.
- The lamp body using for 6063 aluminum material,the lamp pole is high tenacity and metal material will be high reclaim.
- The light source with high quality LED chips and power supply,the lamp pole two side with LED strip for color:red/blue/green/yellow/white and RGB full color change.
- The lamp pole with Nano multi-functional coating/prevent paste/prevent scrawl/prevent scratching.
- The lamp application places:public garden/business area/luxury villa garden/ park/plaza/pavements of road, etc.

配光曲线 Light Distribution Curve



JB-GN103Z10



技术参数 Technology information

产品型号 Product Code	JB-GN103Z10	
灯体尺寸 Lamp size		
	Φ114mm×Φ76mm	Φ140mm×Φ85mm
产品高度 Product height	3M-3.5M	3.5M-4M
功率 Power	30W + 3W	
灯体材质 Lamp material	6063 Aluminum material	
色温 Color temp	3000K / 6000K	
灯带颜色 Strip color temp	Blue / Green / Red / Pink / Warm white	
芯片 LED chips	PHILIPS / CREE / BRIGDELUX	
驱动 Power supply	PHILIPS driver / MW driver from taiwan / MOSO®	
透镜角度 Lens angle	120°/70°	
效率 Efficiency	87%	
输入电压 Input voltage	AC85-265V	
防护等级 Protection levels	IP65	



JB-GN103Z4

LED Garden Light LED 庭院灯

产品说明 Product description


材质工艺:

- 灯具设计风格简约时尚、精致典雅、浪漫古典、与城市美化完美结合。
- 灯体采用 6063 铝合金型材制造，灯杆坚韧度高，材料回收率高。
- 灯具光源部分采用高品质 LED 芯片及电源，灯体侧面发光部分则配用 LED 灯带结合：红光、蓝光、绿光、黄光、白光及 RGB 七彩变色。
- 灯体外部采用纳米多功能涂层、防粘附、防涂鸦、防刮痕。
- 灯具应用场所：公园、商业区、高档别墅庭院、停车场、广场、道路行人道等。

Material and Technology:

- The product design creating is concise and tasteful/delicate and elegant/classic and romantic/perfect combination and city beautification.
- The lamp body using for 6063 aluminum material,the lamp pole is high tenacity and metal material will be high reclaim.
- The light source with high quality LED chips and power supply,the lamp pole two side with LED strip for color:red/blue/green/yellow/white and RGB full color change.
- The lamp pole with Nano multi-functional coating(prevent paint/ prevent scraze/prevent scratching).
- The lamp application places:public garden/business area/luxury villa garden/ park/piazza/pavements of road, etc.

配光曲线 Light Distribution Curve



JB-GN103Z5



技术参数 Technology information

产品型号 Product Code	JB-GN103Z4		JB-GN103Z5	
灯体尺寸 Lamp size				
	Φ114mm-Φ76mm	Φ140mm-Φ86mm	Φ114mm-Φ76mm	Φ140mm-Φ86mm
产品高度 Product height	3M-3.5M	3.5M-4M	3M-3.5M	3.5M-4M
功率 Power	30W		30W	
灯体材质 Lamp material	6063 Aluminum material			
色温 Color temp	3000K / 6000K			
灯带颜色 Strip color temp	Blue / Green / Red / Pink / Warm white			
芯片 LED chips	PHILIPS / CREE / BRIGDELUX			
驱动 Power supply	PHILIPS driver / MW driver from taiwan / MOSO®			
透镜角度 Lens angle	120°/70°			
效率 Efficiency	87%			
输入电压 Input voltage	AC85-265V			
防护等级 Protection levels	IP65			



LED Garden Light

LED 庭院灯


产品说明 Product description

- 材质工艺:
- 灯具设计风格简约时尚、精致典雅、浪漫古典、与城市美化完美结合。
 - 灯体采用 6063 铝合金材料制造，灯杆坚韧度高，材料回收率高。
 - 灯具光源部分采用高品质 LED 芯片及电源，灯体侧面发光部分分别采用 LED 灯带结合：红光、蓝光、绿光、黄光、白光及 RGB 七彩变色。
 - 灯体外部采用纳米多功能涂层、防粘贴、防涂鸦、防刮痕。
 - 灯具应用场所：公园、商业区、高档别墅庭院、停车场、广场、道路行人道等。

Material and Technology

- The product design creating is concise and fashion/delicate and elegant/classics and romantic/perfect combination and city beautification.
- The lamp body using for 6063 aluminum material; the lamp pole is high-tenacity and metal material will be high reclaim.
- The light source with high quality LED chips and power supply; the lamp pole two side with LED strip for color/red/blue/green/yellow/white and RGB full color change.
- The lamp pole with Nano multi-functional coating/prevents paste/prevent scratch/prevent scratching.
- The lamp application places public garden/business area/luxury villa garden/park/plaza/pavements of road etc.

配光曲线 Light Distribution Curve



JB-GN103Z3



JB-GN103Z25



技术参数 Technology Information

产品型号 Product Code	JB-GN103Z3		JB-GN103Z25	
灯体尺寸 Lamp size				
产品高度 Product height	3M-3.5M	3.5M-4M	3M-3.5M	3.5M-4M
功率 Power	30W		30W	
灯体材质 Lamp material	6063 Aluminum material			
色温 Color temp	3000K / 6000K			
灯带颜色 Strip color lamp	Blue / Green / Red / Pink / Warm white			
芯片 LED chips	PHILIPS / CREE / BRIGDELUX			
驱动 Power supply	PHILIPS driver / MW driver from taiwan / MOSQ®			
透镜角度 Lens angle	120°70°			
效率 Efficiency	87%			
输入电压 Input voltage	AC85-265V			
防护等级 Protection levels	IP65			



产品说明 Product description

材质工艺:


- 灯具设计风格简约时尚、精致典雅、浪漫古典、与城市美化完美结合。
- 灯体采用 6063 铝合金型材制造，灯杆韧度高，材料回收率高。
- 灯具光源部分采用高品质 LED 芯片及电源，灯体侧面发光部分分别配用 LED 灯带结合：红光、蓝光、绿光、黄光、白光及 RGB 七彩变色。
- 灯体外部采用纳米多功能涂层、防粘贴、防涂鸦、防刮痕。
- 灯具应用场所：公园、商业区、高档别墅庭园、停车场、广场、道路行人道等。

Material and Technology:

- The product design creating is concise and fashionable and elegant classic and romantic perfect combination and city beautification.
- The lamp body using for 6063 aluminum material the lamp pole is high tenacity and metal material will be high reclaim.
- The light source with high quality LED chips and power supply, the lamp pole two side with LED strip for color/red/blue/green/yellow/white and RGB full color change.
- The lamp pole with Nano multi-functional coating/prevent paste/prevent screw/prevent scratching.
- The lamp application places public garden/business area/luxury villa garden/ park/piazza/pavements of road, etc.



配光曲线 Light Distribution Curve




JB-GN8011H1



技术参数 Technology information

产品型号 Product Code	JB-GN8011G1	JB-GN8011H1
灯体尺寸 Lamp size	 120 x 120mm	 100 x 100mm
产品高度 Product height	3M-6M	3M-4M
功率 Power	40W - 80W	40W / 60W
灯体材质 Lamp material	6063 Aluminum material.	
色温 Color temp	3000K / 6000K	
灯带颜色 Strip color lamp	Blue / Green / Red / Pink / Warm white	
芯片 LED chips	PHILIPS / CREE / BRIGDELUX	
驱动 Power supply	PHILIPS driver / MW driver from taiwan / MOSO®	
透镜角度 Lens angle	120°/70°	
效率 Efficiency	87%	
输入电压 Input voltage	AC85-265V	
防护等级 Protection level	IP65	



JB-GN127B1

专利号: 201630614805.5

产品说明 Product description


材质工艺:

- 灯具设计风格简约时尚、精致典雅、浪漫古典、与城市美化完美结合。
- 灯体采用 6063 铝合金型材制造，灯杆坚韧度高，材料回收率高。
- 灯具光源部分采用高品质 LED 芯片及电源，灯体侧面发光部分分别配用 LED 灯带结合：红光、蓝光、绿光、黄光、白光及 RGB 七彩变色。
- 灯体外部采用纳米多功能涂层、防粘贴、防涂鸦、防刮痕。
- 灯具应用场所：公园、商业区、高档别墅庭院、停车场、广场、道路行人道等。

Material and Technology:

- The product design creating is concise and fashionable/ classic and elegant/ classic and romantic/ perfect combination and city beautification.
- The lamp body using for 6063 aluminum material, the lamp pole is high tenacity and metal material will be high reclaim.
- The light source with high quality LED chips and power supply, the lamp pole two side with LED strip for color/red/blue/green/yellow/white and RGB full color change.
- The lamp pole with nano multi-functional coating/prevent paste/ prevent scratch/prevent scratching.
- The lamp application places public garden/business area/luxury villa garden/park/plaza/pavement of road, etc.

配光曲线 Light Distribution Curve



技术参数 Technology information

产品型号 Product Code	JB-GN127B1
灯体尺寸 Lamp size	 300 x 150mm
产品高度 Product height	3M-6M
功率 Power	20W-50W
灯体材质 Lamp material	6063 Aluminum material
色温 Color temp	3000K / 6000K
灯带颜色 Strip color/ lamp	Blue / Green / Red / Pink / Warm white
芯片 LED chips	PHILIPS / CREE / BRIGDELUX
驱动 Power supply	PHILIPS driver / MW driver from taiwan / MOSO [®]
透镜角度 Lens angle	120°/70°
效率 Efficiency	87%
输入电压 Input voltage	AC85-265V
防护等级 Protect level	IP65



产品说明 Product description


材质工艺:

- 灯具设计风格简约时尚、精致典雅、浪漫古典、与城市美化完美结合。
- 灯体采用 6063 铝合金型材制造，灯杆韧度高，材料回收率高。
- 灯具光源部分采用高品质 LED 芯片及电源，灯体侧面发光部分则配用 LED 灯带结合：红光、蓝光、绿光、黄光、白光及 RGB 七彩变色。
- 灯体外部采用纳米多功能涂层、防粘贴、防涂鸦、防刮痕。
- 灯具应用场所：公园、商业区、高档别墅庭院、停车场、广场、道路行人道等。

Material and Technology:

- The product design creating is concise and fashionable/elegant and elegant/classics and romantic/perfect combination and city beautification.
- The lamp body using for 6063 aluminum material,the lamp pole is high tenacity and metal material will be high reclaim.
- The light source with high quality LED chips and power supply the lamp pole two side with LED strip for color red/blue/green/yellow/white and RGB full color change.
- The lamp pole with Nano multi-functional coating(prevent pests/prevent scratch/prevent scratching).
- The lamp application places:public garden/business area/luxury villa garden/ park/plaza/pavements of road ,etc.

配光曲线 Light Distribution Curve



JB-GN128J1
专利号: 201730215688.X



JB-GN128J2



技术参数 Technology information

产品型号 Product Code	JB-GN128J1	JB-GN128J2
灯体尺寸 Lamp size	 200 x 200mm	 200 x 200mm
产品高度 Product height	3M-6M	3M-6M
功率 Power	20W - 50W	20W / 60W
灯体材质 Lamp material	6063 Aluminum material	
色温 Color temp	3000K / 6000K	
灯带颜色 Strip color temp	Blue / Green / Red / Pink / Warm white	
芯片 LED chips	PHILIPS / CREE / BRIGDELUX	
驱动 Power supply	PHILIPS driver / MW driver from taiwan / MOSO [®]	
透镜角度 Lens angle	120°/70°	
效率 Efficiency	87%	
输入电压 Input voltage	AC85-265V	
防护等级 Protection levels	IP65	



LED
Garden Light
LED 庭院灯



JB-GN119A2
专利号: 201730215693.0



JB-GN119C1
专利号: 201630614827.1

产品说明 Product description


材质工艺:

- 灯具设计风格简约时尚、精致典雅、浪漫古典、与城市美化完美结合。
- 灯体采用 6063 铝合金型材制造，灯杆韧度高，材料回收率高。
- 灯具光源部分采用高品质 LED 芯片及电源，灯体侧面发光部分则采用 LED 灯带组合；红光、蓝光、绿光、黄光、白光及 RGB 七彩变色。
- 灯体外部采用纳米多功能涂层，防粘贴、防涂鸦、防刮痕。
- 灯具应用场所：公园、商业区、高档别墅庭院、停车场、广场、道路行人道等。

Material and Technology:

- The product design creating is concise and fashionable and elegant classic and romantic perfect combination and city beautification.
- The lamp body using for 6063 aluminum material the lamp pole is high tenacity and metal material will be high reclaim.
- The light source with high quality LED chips and power supply the lamp pole two side with LED strip for color red/blue/green/yellow/white and RGB full color change.
- The lamp pole with nano multi-functional coating/prevent paste/prevent scrawl/prevent scratching.
- The lamp application places: public garden/business area/luxury villa garden/ park/plaza/pavements of road, etc.

配光曲线 Light Distribution Curve



LED 庭院灯系列 | LED GARDEN LIGHT SERIES



技术参数 Technology information

产品型号 Product Code	JB-GN119A2	JB-GN118C2	JB-GN119A1	JB-GN119C1
灯体尺寸 Lamp size	150 x 100mm	130 x 85mm	150 x 100mm	130 x 85mm
产品高度 Product height	3M-4M	3M-4M	3M-4M	3M-4M
功率 Power	20W / 30W	20W / 30W	20W / 30W	20W / 30W
灯体材质 Lamp material	6063 Aluminum material			
色温 Color temp	3000K / 6000K			
灯带颜色 Strip color temp	Blue / Green / Red / Pink / Warm white			
芯片 LED chips	PHILIPS / CREE / BRIGDELUX			
驱动 Power supply	PHILIPS driver / MW driver from taiwan / MOSO®			
透镜角度 Lens angle	120°/70°			
效率 Efficiency	87%			
输入电压 Input voltage	AC85-265V			
防护等级 Protection levels	IP65			



LED Garden Light LED 庭院灯




产品说明 Product description

- 材质工艺:
- 灯具设计风格简约时尚、精致典雅、浪漫古典、与城市美化完美结合。
 - 灯体采用 6063 铝合金型材制造，灯杆经阳极氧化，材料回收率高。
 - 灯具光源部分采用高品质 LED 芯片及电源，灯体侧面发光部分则采用 LED 灯带结合：红光、蓝光、绿光、黄光、白光及 RGB 七彩变色。
 - 灯体外部采用纳米多功能涂层、防粘贴、防涂鸦、防刮痕。
 - 灯具应用场所：公园、商业区、高档别墅庭院、停车场、广场、道路行人道等。

- Material and Technology:
- The product design creating is concise and fashionable, classic and romantic, perfect combination and city beautification.
 - The lamp body using for 6063 aluminum material, the lamp pole is high tenacity and metal material will be high reclaim.
 - The light source with high-quality LED chips and power supply, the lamp side two side with LED strip for color:red/blue/green/yellow/white and RGB full color change.
 - The lamp pole with nano multi-functional coating(prevent poster/prevent graffiti/prevent scratching).
 - The lamp application places: public garden/business area/luxury villa garden/park/plaza/pavements of road, etc.

配光曲线 Light Distribution Curve



LED 庭院灯系列 | LED GARDEN LIGHT SERIES



JB-GN117D1 JB-GN118H1
专利号: 201730215694.5

技术参数 Technology information

产品型号 Product Code	JB-GN117D1	JB-GN118H1
灯体尺寸 Lamp size	 130 x 130 x 130mm	 120 x 120mm
产品高度 Product height	3M-4M	3M-4M
功率 Power	30W	48W
灯体材质 Lamp material	6063 Aluminum material	
色温 Color lamp	3000K / 6000K	
灯带颜色 Strip color lamp	Blue / Green / Red / Pink / Warm white	
芯片 LED chips	PHILIPS / CREE / BRIGDELUX	
驱动 Power supply	PHILIPS driver / MW driver from taiwan / MOSO®	
透镜角度 Lens angle	120°/70°	
效率 Efficiency	87%	
输入电压 Input voltage	AC85-265V	
防护等级 Protection levels	IP65	



LED Garden Light

LED 庭院灯

产品说明 Product description


材质工艺:

- 灯具设计风格简约时尚、精致典雅、浪漫古典、与城市美化完美结合。
- 灯体采用 6063 铝合金型材制造，灯杆韧度高，材料回收率高。
- 灯具光源部分采用高品质 LED 芯片及电源，灯体侧面发光部分则选用 LED 灯带结合：红光、蓝光、绿光、黄光、白光及 RGB 七彩变色。
- 灯体外部采用纳米多功能涂层、防粘贴、防涂鸦、防刮痕。
- 灯具应用场所：公园、商业区、高档别墅庭院、停车场、广场、道路行人道等。

Material and Technology:

- The product design creating is concise and fashon/delicate and elegant/classics and romantic/perfect combination and city beautification.
- The lamp body using for 6063 aluminum material, the lamp pole is high tenacity and metal material will be high reclaim.
- The light source with high quality LED chips and power supply, the lamp pole two side with LED strip for color/red/blue/green/yellow/white and RGB full color change.
- The lamp pole with Nano multi-functional coating/prevent paste/prevent screw/prevent scratching.
- The lamp application places: public garden/business area/luxury villa garden/ park/piazza/pavements of road, etc.

配光曲线 Light Distribution Curve



JB-GN009D1

专利号: 201730215704.5



技术参数 Technology information

产品型号 Product Code	JB-GN009D1
灯体尺寸 Lamp size	 130 x 130 x 130mm
产品高度 Product height	3M-4M
功率 Power	30W
灯体材质 Lamp material	6063 Aluminum material
色温 Color temp	3000K / 6000K
灯带颜色 Strip color temp	Blue / Green / Red / Pink / Warm white
芯片 LED chips	PHILIPS / CREE / BRIGDELUX
驱动 Power supply	PHILIPS driver / MW driver from taiwan / MOSO®
透镜角度 Lens angle	120°/70°
效率 Efficiency	87%
输入电压 Input voltage	AC85-265V
防护等级 Protection level	IP65



LED
Garden Light
LED 庭院灯




产品说明 Product description

- 材质工艺:
- 灯具设计风格简约时尚、精致典雅。浪漫古典、与城市美化完美结合。
 - 灯体采用 6063 铝合金型材制造，灯杆坚韧度高，材料回收率高。
 - 灯具光源部分采用高品质 LED 芯片及电源，灯体侧面发光部分则配用 LED 灯带结合：红光、蓝光、绿光、黄光、白光及 RGB 七彩变色。
 - 灯体外部采用纳米多功能涂层、防粘附、防涂鸦、防刮痕。
 - 灯具应用场所：公园、商业区、高档别墅庭院、停车场、广场、道路行人道等。


Material and Technology:

- The product design creating in concise and fashion/ delicate and elegant/classics and romantic/perfect combination and city beautification.
- The lamp body using for 6063 aluminum material, the lamp pole is high tenacity and metal materials will be high reclaim.
- The light source with high quality LED chips and power supply, the lamp pole two side with LED strip for color/red/blue/green/yellow/white and RGB full color change.
- The lamp pole with Nano multi-functional coating/prevent paste/ prevent scratch/ prevent scratching.
- The lamp application places: public garden/business area/luxury villa garden/ park/plaza/pavements of road, etc.

配光曲线 Light Distribution Curve




JB-GN008H1
专利号: 201730215716.8



技术参数 Technology information

产品型号 Product Code	JB-GN008G1	JB-GN008H1
灯体尺寸 Lamp size	 120 × 120mm	 100 × 100mm
产品高度 Product Height	4M-6M	3M-4M
功率 Power	30W - 60W	20W / 30W
灯体材质 Lamp material	6063 Aluminum material	
色温 Color temp	3000K / 6000K	
灯带颜色 Strip color lamp	Blue / Green / Red / Pink / Warm white	
芯片 LED chips	PHILIPS / CREE / BRIGDELUX	
驱动 Power supply	PHILIPS driver / MW driver from taiwan / MOSO®	
透镜角度 Lens angle	120°/70°	
效率 Efficiency	87%	
输入电压 input voltage	AC85-265V	
防护等级 Protection levels	IP65	



LED
Garden Light
LED 庭院灯



JB-GN007H2

产品说明 Product description


材质工艺:

- 灯具设计风格简约时尚、精致典雅、浪漫古典、与城市美化完美结合。
- 灯体采用 6063 铝合金型材制造，灯杆韧度高，材料回收率高。
- 灯具光源部分采用高品质 LED 芯片及电源，灯体侧面发光部分分别配用 LED 灯带组合：红光、蓝光、绿光、黄光、白光及 RGB 七彩变色。
- 灯体外部采用纳米多功能涂层、防粘贴、防涂鸦、防刮痕。
- 灯具应用场所：公园、商业区、高档别墅庭院、停车场、广场、道路行人道等。

Material and Technology:

- The product design creating its concise and fashionable and elegant/classics and romantic/perfect combination and city beautification.
- The lamp body using for 6063 aluminum material,the lamp pole is high tenacity and metal material will be high reclaim.
- The light source with high quality LED chips and power supply,the lamp pole two side with LED strip for color:red/blue/green/yellow/white and RGB full color change.
- The lamp pole with Nano multi-functional coating/prevent paste/ prevent screw/prevent scratching.
- The lamp application places:public garden/business area/luxury villa garden/ park/blaza/pavements of road, etc.

配光曲线 Light Distribution Curve



JB-GN007H1
专利号：201630614556.X

技术参数 Technology information

产品型号 Product Code	JB-GN007G1	JB-GN007G2	JB-GN007H1	JB-GN007H2
灯体尺寸 Lamp size				
产品高度 Product height	4M-6M	4M-6M	3M-4M	3M-4M
功率 Power	30W - 60W	30W - 60W	20W / 30W	20W / 30W
灯体材质 Lamp material	6063 Aluminum material			
色温 Color temp	3000K / 6000K			
灯带颜色 Strip color lamp	Blue / Green / Red / Pink / Warm white			
芯片 LED chips	PHILIPS / CREE / BRIGDELUX			
驱动 Power supply	PHILIPS driver / MW driver from taiwan / MOSO®			
透镜角度 Lens angle	120°/70°			
效率 Efficiency	87%			
输入电压 Input voltage	AC85-265V			
防护等级 Protection level	IP65			



LED Garden Light

LED 庭院灯



JB-GN006F1

产品说明 Product description


材质工艺:

- 灯具设计风格简约时尚、精致典雅。浪漫古典、与城市美化完美结合。
- 灯体采用 6063 铝合金型材制造，灯杆韧度高，材料回收率高。
- 灯具光源部分采用高品质 LED 芯片及电源，灯体侧面发光部分则配用 LED 灯带结合：红光、蓝光、绿光、黄光、白光及 RGB 七彩变色。
- 灯体外部采用纳米多功能涂层，防粘附、防涂鸦、防刮痕。
- 灯具应用场所：公园、商业区、高档别墅庭院、停车场、广场、道路行人道等。

Material and Technology:

- The product design creating a concise and fashionable/ classic and elegant/ classic and romantic/ perfect combination and city beautification.
- The lamp body using for 6063 aluminum material, the lamp pole is high tenacity and metal material will be high reclaim.
- The light source with high quality LED chips and power supply, the lamp pole two side with LED strip for color red/blue/green/yellow/white and RGB full color change.
- The lamp pole with Nano multi-functional coating/prevent paste/ prevent scratch/prevent scratching.
- The lamp application places: public garden/business area/luxury villa garden/park/plaza/pavements of road, etc.

配光曲线 Light Distribution Curve



技术参数 Technology information

产品型号 Product Code	JB-GN006F1
灯体尺寸 Lamp size	 200 x 100mm
产品高度 Product height	3M-4M
功率 Power	30W
灯体材质 Lamp material	6063 Aluminum material
色温 Color temp	3000K / 6000K
灯罩颜色 Strip color temp	Blue / Green / Red / Pink / Warm white
芯片 LED chips	PHILIPS / CREE / BRIGDELUX
驱动 Power supply	PHILIPS driver / MW driver from taiwan / MOSO [®]
透镜角度 Lens angle	120°/70°
效率 Efficiency	87%
输入电压 Input voltage	AC85-265V
防护等级 Protection levels	IP65



LED
Garden Light
LED 庭院灯

产品说明 Product description


材质工艺:

- 灯具设计风格简约时尚，精致典雅，浪漫古典，与城市美化完美结合。
- 灯体采用 6063 铝合金型材制造，灯杆韧度高，材料回收率高。
- 灯具光源部分采用高品质 LED 芯片及电源，灯体侧面发光部分则配用 LED 灯带组合：红光、蓝光、绿光、黄光、白光及 RGB 七彩变色。
- 灯体外部采用纳米多功能涂层、防粘贴、防涂鸦、防刮痕。
- 灯具应用场所：公园、商业区、高档别墅庭园、停车场、广场、道路行人道等。

Materials and Technology:

- The product design creating is concise and fashy/delicate and elegant/classic and romantic/perfect combination and city beautification.
- The lamp body using for 6063 aluminum material, the lamp pole is high tenacity and metal material will be high reclaim.
- The light source with high quality LED chips and power supply, the lamp pole two side with LED strip for color:red/blue/green/yellow/white and RGB full color change.
- The lamp pole with Nano multi-functional coating/prevent paste/prevent scratch/prevent scratching.
- The lamp application places:public garden/business area/luxury villa garden/park/piazza/pavements of road, etc.

配光曲线 Light Distribution Curve



JB-GN004

专利号: 201630614804.0



技术参数 Technology information

产品型号 Product Code	JB-GN004A1	JB-GN004C1
灯体尺寸 Lamp size	150 x 100mm	130 x 85mm
产品高度 Product height	4M-6M	3M-3.5M
功率 Power	30W	30W
灯体材质 Lamp material:	6063 Aluminum material	
色温 Color temp	3000K / 6000K	
灯带颜色 Strip color temp	Blue / Green / Red / Pink / Warm white	
芯片 LED chips	PHILIPS / CREE / BRIGDELUX	
驱动 Power supply	PHILIPS driver / MW driver from taiwan / MOSO®	
透镜角度 Lens angle	120°/70°	
效率 Efficiency	87%	
输入电压 Input voltage	AC85-265V	
防护等级 Protection levels	IP65	



JB-GN12911
专利号: 201630614720.7

JB-GN005A1




产品说明 Product description

- 材质工艺:
- 灯具设计风格简约时尚、精致典雅、浪漫古典、与城市美化完美结合。
 - 灯体采用 6063 铝合金型材制造, 灯杆坚韧度高, 材料回收率高。
 - 灯具光源部分采用高品质 LED 芯片及电源, 灯体侧面发光部分副配用 LED 灯带结合: 红光、蓝光、绿光、黄光、白光及 RGB 七彩变色。
 - 灯体外部采用纳米多功能涂层、防粘贴、防涂鸦、防刮痕。
 - 灯具应用场所: 公园、商业区、高档别墅庭园、停车场、广场、道路行人道等。

- Material and Technology:
- The product design creating is concise and fashionable and elegant, classic and romantic, perfect combination and city beautification.
 - The lamp body using for 6063 aluminum material, the lamp pole is high tenacity and noise material will be high reclaim.
 - The light source with high quality LED chips and power supply, the lamp pole two side with LED strip for color red/blue/green/yellow/white and RGB full color change.
 - The lamp pole with Nano multi-functional coating/prevent paste/prevent scratch/prevent graffiti.
 - The lamp application places public garden/business area/luxury villa garden/park/plaza/pavements of road, etc.

配光曲线 Light Distribution Curve



技术参数 Technology information

产品型号 Product Code	JB-GN005A1	JB-GN005C1	JB-GN12911
灯体尺寸 Lamp size	 150 x 100mm	 130 x 85mm	 200 x 100mm
产品高度 Product height	4M-6M	3M-3.5M	3M-4M
功率 Power	40W	40W	36W
灯体材质 Lamp material	6063 Aluminum material		
色温 Color temp	3000K / 6000K		
灯带颜色 Strip color lamp	Blue / Green / Red / Pink / Warm white		
芯片 LED chips	PHILIPS / CREE / BRIGDELUX		
驱动 Power supply	PHILIPS driver / MW driver from taiwan / MOSO [®]		
透镜角度 Lens angle	120°/70°		
效率 Efficiency	87%		
输入电压 Input voltage	AC85-265V		
防护等级 Protection levels	IP65		



JB-GN003A1

产品说明 Product description


材质工艺:

- 灯具设计风格简约时尚、精致典雅、浪漫古典、与城市美化完美结合。
- 灯体采用 6063 铝合金型材制造，灯杆坚韧度高，材料回收率高。
- 灯具光源部分采用高品质 LED 芯片及电源，灯体侧面发光部分则配用 LED 灯带结合：红光、蓝光、绿光、黄光、白光及 RGB 七彩变色。
- 灯体外部采用纳米多功能涂层、防粘贴、防涂鸦、防刮痕。
- 灯具应用场所：公园、商业区、高档别墅庭院、停车场、广场、道路行人道等。

Material and Technology:

- The product design creating in concise and fashion/silicon and elegant/delicate and romantic/perfect combination and city beautification.
- The lamp body using for 6063 aluminum material,the lamp pole is high tenacity and metal material will be high reclaim.
- The light source with high quality LED chips and power supply,the lamp pole two side with LED strip for color red/blue/green/yellow/white and RGB full color change.
- The lamp pole with Nano multi-functional coating(prevent paste)/prevent scrawl/prevent scratching.
- The lamp application places public garden/business area/luxury villa garden/park/piazza/pavements of road etc.

配光曲线 Light Distribution Curve



JB-GN003E2
专利号: 201630614654.3




JB-GN003E1



技术参数 Technology information

产品型号 Product Code	JB-GN003A1	JB-GN003B1	JB-GN003C1	JB-GN003E1	JB-GN003E2
灯体尺寸 Lamp size	150 x 100mm	150 x 75mm	130 x 85mm	150 x 60mm	150 x 60mm + Ø89mm
产品高度 Product height	4M-6M	3M-4M	3M-3.5M	3M-4M	3M-4M
功率 Power	30W+10W 60W+20W	20W+10W / 30W+10W		20W+7W	30W+7W
灯体材质 Lamp material	6063 Aluminum material				
色温 Color temp	3000K / 6000K				
灯带颜色 Strip color temp	Blue / Green / Red / Pink / Warm white				
芯片 LED chips	PHILIPS / CREE / BRIGDELUX				
驱动 Power supply	PHILIPS driver / MW driver from taiwan / MOSO®				
透镜角度 Lens angle	120°/70°				
效率 Efficiency	87%				
输入电压 Input voltage	AC85-265V				
防护等级 Protection levels	IP65				



JB-GN010A1
专利号: 201630614681.0

LED Garden Light


LED 庭院灯

产品说明 Product description

- 材质工艺:
- 灯具设计风格简约时尚、精致典雅、浪漫古典、与城市美化完美结合。
 - 灯体采用 6063 铝合金型材制造，灯杆坚韧度高，材料回收率高。
 - 灯具光源部分采用高品质 LED 芯片及电源，灯体侧面发光部分则用 LED 灯带结合：红光、蓝光、绿光、黄光、白光及 RGB 七彩变色。
 - 灯体外部采用纳米多功能涂层、防粘贴、防涂鸦、防刮痕。
 - 灯具应用场所：公园、商业区、高档别墅庭院、停车场、广场、道路行人道等。

- Material and Technology:
- The product design creating a concise and fashionable and elegant/classics and romantic/perfect combination and city beautification.
 - The lamp body using for 6063 aluminum material,the lamp pole is high tenacity and metal material will be high reclaim.
 - The light source with high quality LED chips and power supply,the lamp pole two side with LED strip for color/red/blue/green/yellow/white and RGB full color change.
 - The lamp pole with nano multi-functional coating/prevent paste/prevent scrawl/prevent scratching.
 - The lamp application places public garden/business area/luxury villa garden/park/plaza/pavement of road, etc.

配光曲线 Light Distribution Curve



技术参数 Technology information

产品型号 Product Code	JB-GN010A1	JB-GN010C1
灯体尺寸 Lamp size	 150 x 100mm	 130 x 85mm
产品高度 Product height	4M-6M	3M-3.5M
功率 Power	2 x 30W ~ 2 x 60W	2 x 20W / 2 x 30W
灯体材质 Lamp material	6063 Aluminum material	
色温 Color temp	3000K / 6000K	
灯带颜色 Strip color lamp	Blue / Green / Red / Pink / Warm white	
芯片 LED chips	PHILIPS / CREE / BRIGDELUX	
驱动 Power supply	PHILIPS driver / MW driver from taiwan / MOSO®	
透镜角度 Lens angle	120°/70°	
效率 Efficiency	87%	
输入电压 Input voltage	AC85-265V	
防护等级 Protection levels	IP65	



LED Garden Light

LED 庭院灯



JB-GN12611
专利号: 201630614655.8

JB-GN00111
专利号: 201630614802.1


产品说明 Product description

- 材质工艺:
- 灯具设计风格简约时尚、精致典雅、浪漫古典,与城市美化完美结合。
 - 灯体采用 6063 铝合金型材制造,灯杆韧度高,材料回收率高。
 - 灯具光源部分采用高品质 LED 芯片及电源,灯体侧面发光部分则配用 LED 灯带结合:红光、蓝光、绿光、黄光、白光及 RGB 七彩变色。
 - 灯体外部采用纳米多功能涂层,防粘贴、防涂鸦、防刮痕。
 - 灯具应用场所:公园、商业区、高档别墅庭院、停车场、广场、道路行人道等。

Material and Technology:

- The product design creating is concise and fashion/delicate and elegant/classics and simple/perfect combination and city beautification.
- The lamp body using for 6063 aluminum material,the lamp pole is high tenacity and metal material will be high reclaim.
- The light source with high quality LED chips and power supply the lamp pole has side with LED strip for color:red/blue/green/yellow/white and RGB full color change.
- The lamp pole with Nano multi-functional coating/prevent paste/prevent scrawl/prevent scratching.
- The lamp application places:public garden/business area/luxury villa garden/park/plaza/pavements of road ,etc.

配光曲线 Light Distribution Curve



技术参数 Technology information

产品型号 Product Code	JB-GN00111	JB-GN12611
灯体尺寸 Lamp size	 230 x 80mm	 230 x 80mm
产品高度 Product height	3M-4M	3M-4M
功率 Power	30W-40W	30-40W
灯体材质 Lamp material	6063 Aluminum material	
色温 Color temp	3000K / 6000K	
灯带颜色 Strip color temp	Blue / Green / Red / Pink / Warm white	
芯片 LED chips	PHILIPS / CREE / BRIGDELUX	
驱动 Power supply	PHILIPS driver / MW driver from taiwan / MOSO®	
透镜角度 Lens angle	120°-70°	
效率 Efficiency	87%	
输入电压 Input voltage	AC85-265V	
防护等级 Protection levels	IP65	



产品说明 Product description

材质工艺:

- 灯具设计风格简约时尚、精致典雅、浪漫古典、与城市美化完美结合。
- 灯体采用 6063 铝合金型材制造，灯杆坚韧度高，材料回收率高。
- 灯具光源部分采用高品质 LED 芯片及电源，灯体侧面发光部分则配备 LED 灯带组合：红光、蓝光、绿光、黄光、白光及 RGB 七彩变色。
- 灯体外部采用纳米多功能涂层、防粘贴、防涂鸦、防刮痕。
- 灯具应用场所：公园、商业区、高档别墅庭院、停车场、广场、道路行人道等。

Material and Technology:

- The product design creating is concise and fashion/delicate and elegant/classics and romantic/perfect combination and city beautification.
- The lamp body using for 6063 aluminum material,the lamp pole is high tenacity and metal material will be high reclaim.
- The light source with high quality LED chips and power supply,the lamp pole two side with LED strip for color:red/blue/green/yellow/white and RGB full color change.
- The lamp pole with Nano multi-functional coating/prevent paste/prevent screw/prevent scratching.
- The lamp application places:public garden/business area/luxury villa garden/ park/plaza/pavements of road ,etc.


JB-GN002A2

专利号: 201630614651.X

JB-GN002C3

专利号: 201630614801.7

配光曲线 Light Distribution Curve




LED 庭院灯系列 | LED GARDEN LIGHT SERIES



技术参数 Technology information

产品型号 Product Code	JB-GN002A2	JB-GN002C2	JB-GN002A3	JB-GN002C3
灯体尺寸 Lamp size				
产品高度 Product height	4M-6M	3M-3.5M	4M-6M	3M-3.5M
功率 Power	30W+10W-60W+20W	20W+10W/30W+10W	2 x 30W-2 x 60W	2 x 20W/2 x 30W
灯体材质 Lamp material	6063 Aluminum material			
色温 Color temp	3000K / 6000K			
灯带颜色 Strip color lamp	Blue / Green / Red / Pink / Warm white			
芯片 LED chips	PHILIPS / CREE / BRIGDELUX			
驱动 Power supply	PHILIPS driver / MW driver from taiwan / MOSO®			
透镜角度 Lens angle	120°/70°			
效率 Efficiency	87%			
输入电压 Input voltage	AC85-265V			
防护等级 Protection levels	IP65			



CE FC RoHS
最受歡迎照明運營商



JB-GN002E1



LED Garden Light

LED 庭院灯



产品说明 Product description


材质工艺:

- 灯具设计风格简约时尚、精致典雅、浪漫古典、与城市美化完美结合。
- 灯体采用 6063 铝合金型材制造，灯杆坚韧度高，材料回收率高。
- 灯具光源部分采用高品质 LED 芯片及电源，灯体侧面发光部分则配用 LED 灯带结合：红光、蓝光、绿光、黄光、白光及 RGB 七彩变色。
- 灯体外部采用纳米多功能涂层、防粘贴、防涂鸦、防刮痕。
- 灯具应用场所：公园、商业区、高档别墅庭院、停车场、广场、道路人行道等。

Material and Technology:

- The product design creating is concise and fashion/delicate and elegant/classics and romantic/perfect combination and city beautification.
- The lamp body using for 6063 aluminum material,the lamp pole is high tenacity and metal material will be high reclaim.
- The light source with high quality LED chips and power supply,the lamp pole two side with LED strip for color/red/blue/green/yellow/white and RGB full color change.
- The lamp pole with Nano multi-functional coating/prevent paste/prevent scrawl/prevent scratching.
- The lamp application places public garden/business area/luxury villa garden/ park/plaza/pavements of road, etc.

配光曲线 Light Distribution Curve



技术参数 Technology information

产品型号 Product Code	JB-GN002A1	JB-GN002B1	JB-GN002C1	JB-GN002E1
灯体尺寸 Lamp size	150 x 100mm	150 x 75mm	130 x 85mm	150 x 60mm
产品高度 Product height	4M-6M	3M-4M	3M-3.5M	3M-4M
功率 Power	30W - 60W	20W / 30W	20W / 30W	20W / 30W
灯体材质 Lamp material	6063 Aluminum material			
色温 Color temp	3000K / 6000K			
灯带颜色 Strip color temp	Blue / Green / Red / Pink / Warm white			
芯片 LED chips	PHILIPS / CREE / BRIGDELUX			
驱动 Power supply	PHILIPS driver / MW driver from taiwan / MOSO®			
透镜角度 Lens angle	120°/70°			
效率 Efficiency	87%			
输入电压 Input voltage	AC85-265V			
防护等级 Protection levels	IP65			





产品说明 Product description


材质工艺:

- 灯具设计风格简约时尚、精致典雅、浪漫古典、与城市美化完美结合。
- 灯体采用 6063 铝合金型材制造，灯杆坚韧度高，材料回收率高。
- 灯具光源部分采用高品质 LED 芯片及电源，灯体侧面发光部分分别配有 LED 灯带结合：红光、蓝光、绿光、黄光、白光及 RGB 七彩变色。
- 灯体外部采用纳米多功能涂层、防粘贴、防涂鸦、防刮痕。
- 灯具应用场所：公园、商业区、高档别墅庭院、停车场、广场、道路行人道等。

Material and Technology:

- The product design creating is concise and fashions delicate and elegant classic and romantic perfect combination and city beautification.
- The lamp body using for 6063 aluminum material, the lamp pole is high tenacity and metal material will be high reclaim.
- The light source with high quality LED chips and power supply the lamp pole two side with LED strip for color:red/blue/green/yellow/white and RGB full color change.
- The lamp pole with Nano multi-functional coating/prevent paste/prevent scribble/prevent scratching.
- The lamp application: places:public garden/business area/luxury villa garden/park/plaza/pavements of road etc.

配光曲线 Light Distribution Curve



JB-GN001

专利号: 201630614652.4

JB-GN001E1



JB-GN001A2



技术参数 Technology information				
产品型号 Product Code	JB-GN001A1	JB-GN001B1	JB-GN001C1	JB-GN001E1
灯体尺寸 Lamp size				
	150 × 100mm	150 × 75mm	130 × 85mm	150 × 60mm
产品高度 Product height	4M-6M	3M-4M	3M-3.5M	3M-4M
功率 Power	30W - 60W	20W / 30W	20W / 30W	20W / 30W
灯体材质 Lamp material	6063 Aluminum material			
色温 Color lamp	3000K / 6000K			
灯带颜色 Strip color lamp	Blue / Green / Red / Pink / Warm white			
芯片 LED chips	PHILIPS / CREE / BRIGDELUX			
驱动 Power supply	PHILIPS driver / MW driver from taiwan / MOSO®			
透镜角度 Lens angle	120°70°			
效率 Efficiency	87%			
输入电压 Input voltage	AC85-265V			
防护等级 Protection levels	IP65			



产品说明 Product description


材质工艺:

- 灯具设计风格简约时尚、精致典雅，浪漫古典，与城市美化完美结合。
- 灯体采用 6063 铝合金型材制造，灯杆坚韧度高，材料回收率高。
- 灯具光源部分采用高品质 LED 芯片及电源，灯体侧面发光部分则配有 LED 灯带组合：红光、蓝光、绿光、黄光、白光及 RGB 七彩变色。
- 灯体外部采用纳米多功能涂层、防粘贴、防涂鸦、防刮痕。
- 灯具应用场所：公园、商业区、高档别墅庭院、停车场、广场、道路行人道等。

Material and Technology:

- The product design creating is concise and fashionable and elegant/classics and romantic/perfect combination and city beautification.
- The lamp body using for 6063 aluminum material, the lamp pole is high tenacity and metal material will be high reclaim.
- The light source with high quality LED chips and power supply, the lamp pole two side with LED strip for color red/blue/green/yellow/white and RGB full color change.
- The lamp pole with Nano multi-functional coating/prevent pastel prevent scrawl/prevent scratching.
- The lamp application places: public garden/business area/luxury villa garden/park/piazza/pavements of road .etc

配光曲线 Light Distribution Curve



JB-SL002C1



技术参数 Technology information

产品型号 Product Code	JB-SL002A1	JB-SL002B1	JB-SL002C1
灯体尺寸 Lamp size	 150 x 100mm	 150 x 75mm	 130 x 85mm
产品高度 Product height	4M-6M	3M-4M	3M-3.5M
功率 Power	30W	20W	20W
灯体材质 Lamp material	6063 Aluminum material		
色温 Color temp	3000K / 6000K		
灯带颜色 Strip color temp	Blue / Green / Red / Pink / Warm white		
芯片 LED chips	PHILIPS / CREE / BRIGDELUX		
驱动 Power supply	PHILIPS driver / MW driver from taiwan / MOSCO [®]		
透镜角度 Lens angle	120°/70°		
效率 Efficiency	87%		
防护等级 Protection levels	IP65		



LED Garden Light

LED 庭院灯


产品说明 Product description

- 材质工艺:
- 灯具设计风格简约时尚、精致典雅、浪漫古典、与城市美化完美结合。
 - 灯体采用 6063 铝合金型材制造，灯杆柔韧度高，材料回收率高。
 - 灯具光源部分采用高品质 LED 芯片及电源，灯体侧面发光部分分别配有 LED 灯带结合：红光、蓝光、绿光、黄光、白光及 RGB 七彩变色。
 - 灯体外部采用纳米多功能涂层、防粘附、防涂鸦、防刮痕。
 - 灯具应用场所：公园、商业区、高档别墅庭院、停车场、广场、道路行人道等。

Material and Technology:

- The product design creating is concise and fashionable and elegant/classics and romantic/perfect combination and city beautification.
- The lamp body using for 6063 aluminum material,the lamp pole is high tenacity and metal material will be high reclaim.
- The light source with high quality LED chips and power supply,the lamp pole two side with LED strip for color/red/blue/green/yellow/white and RGB full color change.
- The lamp pole with Nano multi-functional coating(prevent paste/prevent scrawl/prevent scratching).
- The lamp application places: public garden/business area/luxury villa garden/ park/plaza/pavements of road, etc.

配光曲线 Light Distribution Curve



技术参数 Technology information

产品型号 Product Code	JB-SL001A1	JB-SL001B1	JB-SL001C1
灯体尺寸 Lamp size			
产品高度 Product height	4M-6M	3M-4M	3M-3.5M
功率 Power	30W	20W	20W
灯体材质 Lamp material	6063 Aluminum material		
色温 Color temp	3000K / 6000K		
灯带颜色 Strip color temp	Blue / Green / Red / Pink / Warm white		
芯片 LED chips	PHILIPS / CREE / BRIGDELUX		
驱动 Power supply	PHILIPS driver / MW driver from taiwan / MOSO®		
透镜角度 Lens angle	120°/70°		
效率 Efficiency	87%		
防护等级 Protection levels	IP65		

JB-SL001B1



JB-L8011-40W

JB-L8011-60W

JB-L8011-120W



产品说明 Product description

- 材质工艺:
- 灯具设计风格简约时尚、精致典雅、浪漫古典、与城市美化完美结合。
 - 灯体采用 6063 铝合金材制造，灯杆坚韧度高，材料回收率高。
 - 灯具光源部分采用高品质 LED 芯片及电源，灯体侧面发光部分分别配有 LED 灯带结合：红光、蓝光、绿光、黄光、白光及 RGB 七彩变色。
 - 灯体外部采用纳米多功能涂层、防粘贴、防涂鸦、防刮痕。
 - 灯具应用场所：公园、商业区、高档别墅庭院、停车场、广场、道路行人道等。

- Material and Technology:
- The product design: creating a concise and fashionable/modern and elegant/classics and romantic/perfect combination and city beautification.
 - The lamp body using for 6063 aluminum material; the lamp pole is high tenacity and metal material; will be high return.
 - The light source with high quality LED chips and power supply; the lamp pole two side with LED strip for color/red/blue/green/yellow/white and RGB full color change.
 - The lamp pole with Nano multi-functional coating/prevent paste/prevent screw/prevent scratching.
 - The lamp application places: public garden/business area/luxury villa garden/park/plaza/avenues of road, etc.



JB-L8011-160W

JB-GG011-200W

专利号: 201730133229.7

技术参数 Technology information

产品型号 Product Code	JB-L8011-40W	JB-L8011-60W	JB-L8011-80W	JB-L8011-120W	JB-L8011-160W	JB-L8011-200W
灯体尺寸 Lamp size	530*360*165mm	530*360*165mm	620*360*165mm	620*360*165mm	720*360*165mm	720*360*165mm
功率 Power	40W	60W	80W	120W	160W	200W
灯体材质 Lamp material	6063 Aluminum material					
色温 Color temp	3000K / 6000K					
灯带颜色 Strip color temp	Blue / Green / Red / Pink / Warm white					
芯片 LED chips	PHILIPS / CREE					
驱动 Power supply	PHILIPS driver / MW driver from taiwan					
透镜角度 Lens Angle	120° - 150°					
效率 Efficiency	87%					
输入电压 Input voltage	AC85-265V					
防护等级 Protection levels	IP65					





JB-W208G3D



JB-W208G3

专利号: 201630614559.3



JB-W209E5D

专利号: 201630614608.3



产品说明 Product description

材质工艺:

- 灯具设计风格简约时尚、精致典雅,浪漫古典,与城市美化完美结合。
- 灯体采用 6063 铝合金型材制造,灯杆坚韧度高,材料回收率高。
- 灯具光源部分采用高品质 LED 芯片及电源,灯体侧面发光部分采用 LED 灯带结合:红光、蓝光、绿光、黄光、白光及 RGB 七彩变色。
- 灯体外部采用纳米多功能涂层、防粘贴、防涂鸦、防刮痕。
- 灯具应用场所:公园、商业区、高档别墅庭院、停车场、广场、道路行人道等。

Material and Technology:

- The product design creating is concise and fancy/delicate and elegant/classics and romantic/perfect combination and city beautification.
- The lamp body using for 6063 aluminum material,the lamp pole is high tenacity and metal material will be high reclaim.
- The light source with high quality LED chips and power supply the lamp pole two side with LED strip for color(red/blue/green/yellow/white and RGB) full color change.
- The lamp pole with Nano multi-functional coating(prevent paste/prevent screw/prevent scratching).
- The lamp application places:public garden/business area/luxury villa garden/park/plaza/pavements of road, etc.

技术参数 Technology information

产品型号 Product Code	JB-W102X1	JB-W102X2	JB-W105X1
灯体尺寸 Lamp size			
功率 Power	COB 10W	2*COB 10W	2*COB 3W
灯体材质 Lamp material	6063 Aluminum material		
色温 Color temp	3000K / 6000K		
灯带颜色 Strip color lamp	Blue / Green / Red / Pink / Warm white		
芯片 LED chips	CREE		
驱动 Power supply	JUNBO driver		
效率 Efficiency	87%		
输入电压 Input voltage	AC85-265V		
防护等级 Protection levels	IP65		





JB-W207C2D
专利号: 201630614560.6



JB-W206A3
专利号: 201630614606.4



JB-W207C2



JB-W206A3



产品说明 Product description

- 材质工艺:
- 灯具设计风格简约时尚、精致典雅、浪漫古典、与城市美化完美结合。
 - 灯体采用 6063 铝合金型材制造，灯杆坚韧度高，材料回收率高。
 - 灯具光源部分采用高品质 LED 芯片及电源，灯体侧面发光部分则配备 LED 灯带结合：红光、蓝光、绿光、黄光、白光及 RGB 七彩变色。
 - 灯体外部采用纳米多功能涂层、防粘贴、防涂鸦、防刮痕。
 - 灯具应用场所：公园、商业区、高档别墅庭院、停车场、广场、道路人行道等。

Material and Technology:

- The product design creating a concise and fashionable/elegant and classic and romantic/perfect combination and city beautification.
- The lamp body using for 6063 aluminum material; the lamp pole is high tenacity and metal material will be high reclaim.
- The light source with high quality LED chips and power supply; the lamp pole two side with LED strip for color:red/blue/green/yellow/white and RGB full color change.
- The lamp pole with Nano multi-functional coating/prevent pests/prevent scrawl/prevent scratching.
- The lamp application places:public garden/business area/luxury villa garden/ park/blaze/pavements of road, etc.

技术参数 Technology information

产品型号 Product Code	JB-W207C2	JB-W207C2	JB-W206A3	JB-W206A3
灯体尺寸 Lamp size	130*85mm	130*85mm	150*100mm	150*100mm
功率 Power	6W	2*6W	COB 10W	2*COB 10W
灯体材质 Lamp material	6063 Aluminum material			
色温 Color temp	3000K / 6000K			
灯带颜色 Strip color temp	Blue / Green / Red / Pink / Warm white			
芯片 LED chips	BRIGDELUX			
驱动 Power supply	PHILIPS driver / MW driver from taiwan			
效率 Efficiency	87%			
输入电压 Input voltage	AC85-265V			
防护等级 Protection levels	IP65			





JB-W205Y3D
专利号: 201630614577.4



JB-W202D3D
专利号: 201630614558.9



JB-W205Y3



JB-W202D3

产品说明 Product description

- 材质工艺:
- 灯具设计风格简约时尚、精致典雅、浪漫古典、与城市美化完美结合。
 - 灯体采用 6063 铝合金型材制造，灯杆强度高，材料回收率高。
 - 灯具光源部分采用高品质 LED 芯片及电源，灯体侧面发光部分分别配有 LED 灯带综合：红光、蓝光、绿光、黄光、白光及 RGB 七彩变色。
 - 灯体外部采用纳米多功能涂层、防粘贴、防涂鸦、防刮痕。
 - 灯具应用场所：公园、商业区、高档别墅庭院、停车场、广场、道路行人道等。

Material and Technology:

- The product design creating is concise and fashionable, elegant and romantic, perfect combination and city beautification.
- The lamp body using for 6063 aluminum material; the lamp pole is high tenacity and metal material will be high resistant.
- The light source with high quality LED chips and power supply; the lamp pole two side with LED strip for color red/blue/green/yellow/white and RGB full color change.
- The lamp pole with Nano multi-functional coating/prevent paste/prevent scratch/prevent scratching.
- The lamp application places: public garden/business area/luxury villa garden/park/plaza/pavements of road, etc.

技术参数 Technology information

产品型号 Product Code	JB-W205Y3	JB-W205Y3	JB-W202D3D	JB-W202D3
灯体尺寸 Lamp size	 Φ 114mm	 Φ 114mm	 130*130*130mm	 130*130*130mm
功率 Power	COB 7W	2*COB 7W	COB 10W	2*COB 10W
灯体材质 Lamp material	6063 Aluminum material			
色温 Color temp	3000K / 6000K			
灯带颜色 Strip color temp	Blue / Green / Red / Pink / Warm white			
芯片 LED chips	BRIGDELUX			
驱动 Power supply	PHILIPS driver / MW driver from taiwan			
效率 Efficiency	87%			
输入电压 Input voltage	AC85-265V			
防护等级 Protection levels	IP65			





JB-W103Y1
专利号: 201630614609.8



JB-W103Y2

产品说明 Product description


- 材质工艺:
- 灯具设计风格简约时尚, 精致典雅、浪漫古典, 与城市美化完美结合。
 - 灯体采用 6063 铝合金材质制造, 灯杆坚固度高, 材料回收率高。
 - 灯具光源部分采用高品质 LED 芯片及电源, 灯体侧面发光部分则配用 LED 灯带结合: 红光、蓝光、绿光、黄光、白光及 RGB 七彩变色。
 - 灯体外部采用纳米多功能涂层, 防粘贴、防涂鸦、防刮痕。
 - 灯具应用场所: 公园、商业区、高档别墅庭院、停车场、广场、道路行人道等。

- Material and Technology:
- The product design creating is concise and fashion/terkate and elegant/classic and romantic/perfect combination and city beautification.
 - The lamp body using for 6063 aluminum material,the lamp pole is high tenacity and metal material will be high reclaim.
 - The light source with high-quality LED chips and power supply,the lamp pole two side with LED strip for color (red/blue/green/yellow/white) and RGB full color change.
 - The lamp pole with Nano multi-functional coating(prevent paste/prevent scrawl/prevent scratching).
 - The lamp application places:public garden/business area/luxury villa garden/ park/piazza/pavements of road ,etc.

技术参数 Technology information

产品型号 Product Code	JB-W103Y1	JB-W103Y2
灯体尺寸 Lamp size	 Φ 114mm	 Φ 114mm
功率 Power	9W	2*9W
灯体材质 Lamp material	6063 Aluminum material	
色温 Color temp	3000K / 6000K	
灯带颜色 Strip color temp	Blue / Green / Red / Pink / Warm white	
芯片 LED chips	CREE	
驱动 Power supply	JUNBO driver	
效率 Efficiency	87%	
输入电压 Input voltage	AC85-265V	
防护等级 Protection levels	IP65	





JB-W102X1



JB-W102X1D
专利号: 201630614607.9



JB-W105X1

产品说明 Product description

- 材质工艺:**
- 灯具设计风格简约时尚、精致典雅、浪漫古典、与城市美化完美结合。
 - 灯体采用 6063 铝合金型材制造，灯杆坚韧度高，材料回收率高。
 - 灯具光源部分采用高品质 LED 芯片及电源，灯体侧面发光部分则配有 LED 灯带组合：红光、蓝光、绿光、黄光、白光及 RGB 七彩变色。
 - 灯体外部采用纳米多功能涂层、防粘贴、防涂鸦、防刮痕。
 - 灯具应用场所：公园、商业区、高档别墅庭院、停车场、广场、道路行人道等。

Material and Technology:

- The product design (covering is concise and fashionable) and elegant style and modern perfect combination and city beautification.
- The lamp body using for 6063 aluminum material; the lamp pole is high tenacity and metal material will be high reclaim.
- The light source with high quality LED chips and power supply; the lamp pole two side with LED strip for color (red/blue/green/yellow/white) and RGB full color change.
- The lamp pole with Nano multi-functional coating (prevent paste/prevent scrawl/prevent scratching).
- The lamp application places: public garden/business area/luxury villa garden/park/pavements of road, etc.

技术参数 Technology information

产品型号 Product Code	JB-W102X1	JB-W102X2	JB-W105X1
灯体尺寸 Lamp size	Φ89mm	Φ89mm	Φ89mm
功率 Power	7W	2*7W	7W
灯体材质 Lamp material	6063 Aluminum material		
色温 Color temp	3000K / 6000K		
灯带颜色 Strip color temp	Blue / Green / Red / Pink / Warm white		
芯片 LED chips	CREE		
驱动 Power supply	JUNBO driver		
效率 Efficiency	87%		
输入电压 Input voltage	AC85-265V		
防护等级 Protection levels	IP65		





JB-W101R1



JB-W106R1



JB-W106R2

产品说明 Product description

- 材质工艺:**
- 灯具设计风格简约时尚、精致典雅、浪漫古典、与城市美化完美结合。
 - 灯体采用 6063 铝合金型材制造，灯杆坚韧度高，材料回收率高。
 - 灯具光源部分采用高品质 LED 芯片及电源，灯体侧面发光部分则配用 LED 灯带组合：红光、蓝光、绿光、黄光、白光及 RGB 七彩变色。
 - 灯体外部采用纳米多功能涂层、防粘贴、防涂鸦、防刮痕。
 - 灯具应用场所：公园、商业区、高档别墅庭园、停车场、广场、道路行人道等。

Material and Technology:

- The product design creating a concise and fashion/delicate and elegant/classic and romantic/perfect combination and city beautification.
- The lamp body using for 6063 aluminum material,the lamp pole is high tenacity and metal material will be high reclaim.
- The light source with high quality LED chips and power supply,the lamp pole two side with LED strip for color:red/blue/green/yellow/white and RGB full color change.
- The lamp pole with Nano multi-functional coating/prevent paste/ prevent scrawl/prevent scratching.
- The lamp application places:public garden/business area/luxury villa garden/park/road/pavements of road ,etc.

技术参数 Technology information

产品型号 Product Code	JB-W101R1	JB-W106R1	JB-W106R2
灯体尺寸 Lamp size			
	Φ76mm	Φ76mm	Φ76mm
功率 Power	5W	5W	2*5W
灯体材质 Lamp material	6063 Aluminum material		
色温 Color temp	3000K / 6000K		
灯带颜色 Strip color temp	Blue / Green / Red / Pink / Warm white		
芯片 LED chips	CREE		
驱动 Power supply	JUNBO driver		
效率 Efficiency	87%		
输入电压 Input voltage	AC85-265V		
防护等级 Protection levels	IP65		





JB-GG0231I



JB-GG002G1

产品说明 Product description

- 材质工艺:**
- 灯具设计风格简约时尚、精致典雅、浪漫古典、与城市美化完美结合。
 - 灯体采用 6063 铝合金型材制造，灯杆韧度高，材料回收率高。
 - 灯具光源部分采用高品质 LED 芯片及电源，灯体侧面发光部分则配备 LED 灯带组合：红光、蓝光、绿光、黄光、白光及 RGB 七彩变色。
 - 灯体外部采用纳米多功能涂层、防粘贴、防涂鸦、防刮痕。
 - 灯具应用场所：公园、商业区、高档别墅庭院、停车场、广场、道路行人道等。

Material and Technology

- The product design creating is concise and fashionable, classic and romantic, perfect combination and city beautification.
- The lamp body using for 6063 aluminum material, the lamp pole is high tenacity and metal material will be high reclaim.
- The light source with high quality LED chips and power supply the lamp pole two side with LED strip for color:red/blue/green/yellow/white and RGB full color change.
- The lamp pole with Nano multi-functional coating/prevent paste/prevent scratch/prevent scratching.
- The lamp application places:public garden/business area/luxury villa garden/park/plaza/pavements of road .etc.



JB-GG022B1

技术参数 Technology information

产品型号 Product Code	JB-GG00231I	JB-GG002G1	JB-022B1
灯体尺寸 Lamp size			
产品高度 Product height	80CM	80CM	80CM
功率 Power	3W	9W	10W
灯体材质 Lamp material	6063 Aluminum material		
色温 Color temp	3000K / 6000K		
灯带颜色 Strip color lamp	Blue / Green / Red / Pink / Warm white		
芯片 LED chips	BRIGDELUX		
驱动 Power supply	JUNBO driver		
效率 Efficiency	87%		
输入电压 Input voltage	AC85-265V		
防护等级 Protection levels	IP65		





JB-GG025J1



JB-GG025J2



JB-GG025J3



产品说明 Product description

材质工艺:

- 灯具设计风格简约时尚、精致典雅、浪漫古典、与城市美化完美结合。
- 灯体采用 6063 铝合金型材制造，灯杆坚韧度高，材料回收率高。
- 灯具光源部分采用高品质 LED 芯片及电源，灯体侧面发光部分则配用 LED 灯带结合：红光、蓝光、绿光、黄光、白光及 RGB 七彩变色。
- 灯体外部采用纳米多功能涂层、防粘贴、防涂鸦、防刮痕。
- 灯具应用场所：公园、商业区、高档别墅庭院、停车场、广场、道路行人道等。

Material and Technology

- The product design creating is concise and fashionable/classic and elegant/classics and romantic/perfect combination and city beautification.
- The lamp body using for 6063 aluminum material, the lamp pole is high tenacity and metal material will be high reclaim.
- The light source with high quality LED chips and power supply the lamp pole two side with LED strip for color red/blue/green/yellow/white and RGB full color change.
- The lamp pole with nano multi-functional coating/prevent paste/prevent screw/prevent scratching.
- The lamp application places public garden/business area/luxury villa garden/park/business pavements of road, etc.

技术参数 Technology information

产品型号 Product Code	JB-GG025J1	JB-GG025J2	JB-GG025J3
灯体尺寸 Lamp size			
产品高度 Product height	200*200mm	200*200mm	200*200mm
功率 Power	80CM	80CM	80CM
灯体材质 Lamp material	10W	10W	10W
色温 Color lamp	6063 Aluminum material		
灯带颜色 Strip color lamp	3000K / 6000K		
芯片 LED chips	Blue / Green / Red / Pink / Warm white		
驱动 Power supply	BRIGDELUX		
效率 Efficiency	JUNBO driver		
输入电压 Input voltage	87%		
防护等级 Protection levels	AC85-265V		
	IP65		





JB-GG017A1
专利号: 201530149560.9



JB-GG019A1
专利号: 201530149558.1

产品说明 Product description

- 材质工艺:
- 灯具设计风格简约时尚、精致典雅、浪漫古典、与城市美化完美结合。
 - 灯体采用 6063 铝合金型材制造，灯杆坚韧度高，材料回收率高。
 - 灯具光源部分采用高品质 LED 芯片及电源，灯体侧面发光部分则采用 LED 灯带结合：红光、蓝光、绿光、黄光、白光及 RGB 七彩变色。
 - 灯体外部采用纳米多功能涂层、防粘贴、防涂鸦、防刮痕。
 - 灯具应用场所：公园、商业区、高档别墅庭院、停车场、广场、道路行人道等。

Material and Technology:

- The product design creating is concise and fastidious (elegant) classic and romantic perfect combination and city beautification.
- The lamp body using for 6063 aluminum material the lamp pole is high tenacity and metal material will be high recover.
- The light source with high quality LED chips and power supply, the lamp pole two side with LED strip for colored (blue/green/yellow/white) and RGB full color change.
- The lamp pole with Nano multi-functional coating (prevent paste/ prevent scratch/ prevent scratching).
- The lamp application places: public garden/business area/luxury villa garden/ park/plaza/pavement of road, etc.

技术参数 Technology information

产品型号 Product Code	JB-GG017A1	JB-GG019A1
灯体尺寸 Lamp size	150*100mm	150*100mm
产品高度 Product height	80CM	80CM
功率 Power	6W	12W
灯体材质 Lamp material	6063 Aluminum material	
色温 Color lamp	3000K / 6000K	
灯带颜色 Strip color temp	Blue / Green / Red / Pink / Warm white	
芯片 LED chips	BRIGDELUX	
驱动 Power supply	JUNBO driver	
效率 Efficiency	87%	
输入电压 Input voltage	AC85-265V	
防护等级 Protection levels	IP65	





JB-GG026G1

专利号: 201630610590.X

JB-GG028C1

专利号: 201730215689.4

JB-GG027B

专利号: 201730215690.7

产品说明 Product description

材质工艺:

- 灯具设计风格简约时尚、精致典雅、浪漫古典、与城市美化完美结合。
- 灯体采用 6063 铝合金型材制造，灯杆韧度高，材料回收率高。
- 灯具光源部分采用高品质 LED 芯片及电源，灯体侧面发光部分则配用 LED 灯带结合：红光、蓝光、绿光、黄光、白光及 RGB 七彩变色。
- 灯体外部采用纳米多功能涂层、防粘贴、防涂鸦、防刮痕。
- 灯具应用场所：公园、商业区、高档别墅庭院、停车场、广场、道路行人道等。

Material and Technology:

- The product design creating a concise and fashion/ delicate and elegant/classics and romantic/perfect combination and city beautification.
- The lamp body using for 6063 aluminum material,the lamp pole is high tenacity and metal material will be high reclaim.
- The light source with high quality LED chips and power supply,the lamp pole two side with LED strip for color/red/blue/green/yellow/white and RGB full color change.
- The lamp pole with Nano multi-functional coating/prevent paste/prevent scratch/prevent scratching.
- The lamp application places public garden/business area/luxury villa garden/park/plaza/pavements of road ,etc.



技术参数 Technology information

产品型号 Product Code	JB-GG026G1	JB-GG028C1	JB-GG027B
灯体尺寸 Lamp size	 120 x 120mm	 130 x 85mm	 150 x 75mm
产品高度 Product height	80CM	80CM	80CM
功率 Power	12W	8W	8W
灯体材质 Lamp material	6063 Aluminum material		
色温 Color temp	3000K / 6000K		
灯带颜色 Strip color temp	Blue / Green / Red / Pink / Warm white		
芯片 LED chips	PHILIPS / BRIGDELUX		
驱动 Power supply	JUNBO driver		
效率 Efficiency	87%		
输入电压 Input voltage	AC85-265V		
防护等级 Protection levels	IP65		





JB-GG021X2



JB-GG021X5



JB-GG021Y3



产品说明 Product description

- 材质工艺:**
- 灯具设计风格简约时尚、精致典雅、浪漫古典、与城市美化完美结合。
 - 灯体采用 6063 铝合金型材制造，灯杆韧度高，材料回收率高。
 - 灯具光源部分采用高品质 LED 芯片及电源，灯体侧面发光部分则配有 LED 灯带组合：红光、蓝光、绿光、黄光、白光及 RGB 七彩变色。
 - 灯体外部采用纳米多功能涂层、防粘黏、防涂鸦、防刮痕。
 - 灯具应用场所：公园、商业区、高档别墅庭院、停车场、广场、道路人行道等。

Material and Technology:

- The product design creating is concise and fashion/delicate and elegant/classics and romantic/perfect combination and city beautification.
- The lamp body using for 6063 aluminum material; the lamp pole is high tenacity and metal material will be high reclaim.
- The light source with high quality LED chip and power supply; the lamp pole two side with LED strip for color red/blue/green/yellow/white and RGB full color change.
- The lamp pole with Nano multi-functional coating/prevent pestle/prevent scratch/prevent scatching.
- The lamp application places: public garden/business area/luxury villa/garden/park/plaza/pavements of road, etc.



技术参数 Technology information

产品型号 Product Code	JB-GG025X2	JB-GG025X5	JB-GG021Y3
灯体尺寸 Lamp size	Φ89mm	Φ89mm	Φ114mm
产品高度 Product height	80CM	80CM	80CM
功率 Power	7W	7W	9W
灯体材质 Lamp material	6063 Aluminum material		
色温 Color temp	3000K / 6000K		
灯带颜色 Strip color temp	Blue / Green / Red / Pink / Warm white		
芯片 LED chips	CREE		
驱动 Power supply	JUNBO driver		
效率 Efficiency	87%		
输入电压 Input voltage	AC85-265V		
防护等级 Protection levels	IP65		



JB-GG021R6



JB-GG021R1



产品说明 Product description

材质工艺:

- 灯具设计风格简约时尚、精致典雅、浪漫古典、与城市美化完美结合。
- 灯体采用 6063 铝合金型材制造，灯杆韧度高，材料回收率高。
- 灯具光源部分采用高品质 LED 芯片及电源，灯体侧面发光部分则采用 LED 灯带组合：红光、蓝光、绿光、黄光、白光及 RGB 七彩变色。
- 灯体外部采用纳米多功能涂层、防粘贴、防涂鸦、防刮痕。
- 灯具应用场所：公园、商业区、高档别墅庭院、停车场、广场、道路行人道等。

Material and Technology:

- The product design creating is concise and fashionable and elegant and romantic perfect combination and city beautification.
- The lamp body using for 6063 aluminum material, the lamp pole is high tenacity and metal material will be high reclaim.
- The light source with high quality LED chips and power supply, the lamp pole two side with LED strip for color:red/blue/green/yellow/white and RGB full color change.
- The lamp pole with Nano multi-functional coating/prevent paste/prevent scrawl/prevent scratching.
- The lamp application places:public garden/business area/luxury villa garden/park/plaza/pavements of road ,etc.



技术参数 Technology information

产品型号 Product Code	JB-GG021R1	JB-GG021R6
灯体尺寸 Lamp size	 Φ76mm	 Φ76mm
产品高度 Product height	80CM	80CM
功率 Power	5W	5W
灯体材质 Lamp material	6063 Aluminum material	
色温 Color temp	3000K / 6000K	
灯带颜色 Strip color temp	Blue / Green / Red / Pink / Warm white	
芯片 LED chips	CREE	
驱动 Power supply	JUNBO driver	
效率 Efficiency	87%	
输入电压 Input voltage	AC85-265V	
防护等级 Protection levels	IP65	



LED Garden Light LED 庭院灯

产品说明 Product description


材质工艺:

- 灯具设计风格简约时尚、精致典雅、浪漫古典、与城市美化完美结合。
- 灯体采用 6063 铝合金型材制造，灯杆坚韧度高，材料回收率高。
- 灯具光源部分采用高品质 LED 芯片及电源，灯体侧面发光部分分别配用 LED 灯带结合：红光、蓝光、绿光、黄光、白光及 RGB 七彩变色。
- 灯体外部采用纳米多功能涂层、防粘贴、防涂鸦、防刮痕。
- 灯具应用场所：公园、商业区、高档别墅庭院、停车场、广场、道路人行道等。

Material and Technology:

- The product design: creating a concise and sophisticated and elegant classic and romantic perfect combination and city beautification.
- The lamp body using for 6063 aluminum material, the lamp pole is high tenacity and metal material will be high reclaim.
- The light source with high quality LED chips and power supply, the lamp pole two side with LED strip for color:red/blue/green/yellow/white and RGB full color change.
- The lamp pole with nano multi-functional coating(prevent paste/prevent scratch/prevent scratching).
- The lamp application: places public garden/business area/luxury villa garden/ park/plaza/pavements of road, etc. .

配光曲线 Light Distribution Curve



JB-GN103Z23

技术参数 Technology information

产品型号 Product Code	JB-GN103Z23	
灯体尺寸 Lamp size	 Φ114mm×Φ76mm	 Φ114mm×Φ76mm
产品高度 Product height	3M-3.5M	3.5M-4M
功率 Power	48W	
灯体材质 Lamp material	6063 Aluminum material	
色温 Color temp.	3000K / 6000K	
灯带颜色 Strip color temp.	Blue / Green / Red / Pink / Warm white	
芯片 LED chips	PHILIPS / CREE / BRIGDELUX	
驱动 Power supply	PHILIPS driver / MW driver from taiwan / MOSO®	
透镜角度 Lens angle	120°/70°	
效率 Efficiency	87%	
输入电压 Input voltage	AC85-265V	
防护等级 Protection levels	IP65	